

Aircraft Type:		Part of Flight Test Report	
Registration	DQ-	Date of Test	
Pilot in Command			

COMMUNICATION RADIO								
Equipment	Type	Authorised Ground station	Freq.	A/C Position and Distance from Station	Alt.	Time (Z)	Reported	
							TX	RX
VHF COMM (1)								
VHF COMM (2)								
HF COMM								

To be acceptable, a VHF Communication test must establish a minimum range of 20 nm from a height of 2000ft above the ground station. At greater heights the range so established must be corresponding greater.

NAVIGATION AIDS								
Type	Ground Station	Freq.	Aircraft Position	Actual Radial	Audio Ident.	Flag Ind. of Reliable Signal	Pointer Indicator	
VOR (1)								
VOR (2)								
LOC (1)								
LOC (2)								
GNSS (1)								
GNSS (2)								
Marker (LO Setting if fitted)	Beacon		Ground Station		Audio		Light	
	Outer				Satis	Unsatis	Satis	Unsatis
	Middle				Satis	Unsatis	Satis	Unsatis
Type	Ground Station	Freq.	Aircraft Position		Heading	Actual relative Bearing		Indicate d Bearing
ADF (1)								

ADF (2)							
DME	Type	Ground Station	Freq.	Aircraft Position		Actual Range	
AREA NAV							
TRANSPONDER	Type	Ground Station		Code	Range		Alt.
CODING ALTIMETER	Type	Indicated Altitude (1013 mb)					Reported Altitude
INTER-COMM	Type	Operation					

FLIGHT TEST DEFECT(S)	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	

Note: The provision of false information, or failure to disclose information, relevant to the grant of an aviation document constitutes an offence under Section 17A(5)(b) of the Civil Aviation Authority Act 1979, and Regulation 128 of the Air Navigation Regulations 1981. The applicant will be subject to prosecution as well as the revocation, suspension or cancellation, of their aviation document, or in the event of initial issue, the rejection of the application.

DECLARATION

I hereby certify that, with the exceptions stated below, the radio installation in the above designated aircraft has been proved to perform satisfactorily in flight, at the mandated distances (where applicable), and the functions for which it is approved.

Exceptions

Signed

(By Pilot In command of Flight Test)

Print Name:

For CAAF Use only				
Report Logged by:	Appointment:	Date:	Sign:	Comments:
Report seen by:	AA - AW			
	AEI/AMI			
	FOI – D/			
	FOI - RW			
	SAMEI			
	SFOI - D			